








### The STUDfinder™ Installation System

STUDfinder combines precisely spaced nail slots with indicator letters, designed for accurate and secure installation.



### **STUDfinder for Accuracy**

- Nail slots align with 16" on-center standards for stud spacing.
- Indicator letters help:
  - Determine location of studs
  - Ensure nails are positioned correctly
  - Ensure correct number of nails are used





## **STUDfinder for Security and Performance**

- Nailing to studs provides a strong and secure connection.
- Protects against blow offs from under nailing.
- Protects against buckling from over nailing.
- Helps avoid nailing into hazardous items between studs like plumbing or wiring.



# GREAT LOOKS AND AFFORDABILITY



Triple 3" Woodgrain Clapboard in savannah wicker Double 4" Woodgrain Clapboard in natural clay Double 5" Woodgrain Clapboard in sterling gray

Double 4-1/2" Woodgrain Dutchlap in herringbone

### LOW GLOSS COLORS 16 Low-Gloss Colors with

Coordinating Trim Colors

STYLES AND FINISHES Triple 3" Woodgrain Clapboard

Double 4" Woodgrain Clapboard Double 5" Woodgrain Clapboard Double 4-1/2" Woodgrain Dutchlap

THICKNESS .040" Nominal

NAIL HEM AND LOCK STUDfinder™ Installation System

RigidForm™ 175 Nail Hem Technology and DuraLock®

Post-Formed Lock

PANEL PROJECTION 1/

1/2"

FIRE RATING

Class 1(A)

**WARRANTY** 

Lifetime Limited with PermaColor™ Lifetime Fade Protection

◀ Front Cover


Siding: Encore Double 4" Clapboard in castle stone.

Trim: Vinyl Carpentry® & Restoration Millwork®.


#### **RigidForm™ Technology**

RigidForm 175 (rolled-over nail hem) technology stiffens siding for a straighter-on-the-wall appearance and has been tested\* to withstand wind load pressures up to 175 mph.

\* Wind load rating per VSI wind speed calculation guidelines.



**DuraLock®** features an oversized rigid tear-drop shape which is substantially larger than many competitors' locks, providing secure installation.



The angular locking leg creates a secure, snap-fit installation, allowing for necessary expansion and contraction.

Ď

Perma COLOR™ LIFETIME FADE PROTECTION  Color performance, impact resistance and durability are assured through our exclusive PermaColor™ System, a blend of our own Certavin™ resin, superior micro-ingredients and state-of-the-art pigment chemistry.	Triple 3" Clapboard (woodgrain)	Double 4" Clapboard (woodgrain)	Double 5" Clapboard (woodgrain)	ouble 4-1/2" Dutchlap (woodgrain)	
Castle Stone		•	•	•	
Sterling Gray	•	•	•	•	
Oxford Blue	•	•	•	•	
Seagrass		•	•	•	
Cypress		•	•	•	
Warm Sand	•	•	•	•	
Herringbone	•	•	•	•	
Sandstone Beige	•	•	•	•	
Desert Tan	•	•	•	•	
Natural Clay	•	•	•	•	
Savannah Wicker	•	•	•	•	
Light Maple	•	•	•	•	
Buckskin		•	•	•	
Heritage Cream	•	•	•	•	
Snow	•	•	•	•	



Colonial White

Start exploring preset color combinations and create your own custom exterior with on-line, interactive tools, designed to help you "Visualize Your Home".

Start now at certainteed.com/colortools

NOTE: Colors throughout this brochure are simulated. Consult product samples before making final selection.





Polymer Shakes & Shingles



Roofing and Ventilation





Insulated Sidina



PVC Exterior Trim & Beadboard



Decking and Railing



Vinyl Siding



Vinyl Carpentry® Trim



Housewrap



Professional: facebook.com/CertainTeedFreedomofChoice Consumer: facebook.com/CertainTeedLivingSpaces

[ Be Certain ] Confidence worth building on.™

ASK ABOUT OUR OTHER CERTAINTEED® PRODUCTS AND SYSTEMS:

ROOFING . SIDING . TRIM . DECKING . RAILING . FENCE GYPSUM . CEILINGS . INSULATION

www.certainteed.com

http://blog.certainteed.com

CertainTeed Corporation P.O. Box 860

Valley Forge, PA 19482

Professional: 800-233-8990 Consumer: 800-782-8777

© 1/15 CertainTeed Corporation, Printed in U.S.A. Code No. CTS458

